


DIN 16 B-2 ENGRENAGEM PARA CORRENTE SIMPLES

- **Material:** Aço SAE 1040/* Material ferro com cubo soldado
- **Rolo:** 15,88mm
- 1" x 17,02"
- 25,4 x 17,02 mm
- **B1 = 16,2 / B2 = 47,7 / B3 = 79,6 / b1 = 15,8 / C = 2,5 / r3 = 26**



Z Nº Dentes	SIMPLES					
	de	dp	dm	D1	A	
8	77,9	66,37	42	20	65	0,81
9	85,8	74,27	50	20	65	1,15
10	93,8	82,19	56	20	65	1,52
11	101,7	90,14	64	20	70	2,08
12	109,7	98,14	72	20	70	2,60
13	117,7	106,12	80	20	70	3,18
14	125,7	114,15	88	20	70	3,82
15	133,7	122,17	96	20	70	4,51

16	141,8	130,20	104	20	70	5,17
17	149,8	138,22	112	20	70	5,98
18	157,8	146,28	120	20	70	6,84
19	165,9	154,33	128	20	70	7,76
20	173,9	162,38	130	20	70	8,52
21	182,0	170,43	130	20	70	9,24
22	190,1	178,48	130	25	70	10,00
23	198,1	186,53	130	25	70	10,80
24	206,2	194,59	130	25	70	11,64
25	214,2	202,66	130	25	70	12,52
26	222,3	210,72	130	25	70	13,43
27	230,4	218,79	130	25	70	14,38
28	238,4	226,85	130	25	70	15,38
29	246,5	234,92	130	25	70	16,41
30	254,6	243,00	130	25	70	17,48
31	262,6	251,08	140	25	70	18,96
32	270,7	259,13	140	25	70	20,10
33	278,8	267,21	140	25	70	21,29
34	286,9	275,28	140	25	70	22,21
35	294,9	283,36	140	25	70	23,77
36	303,0	291,44	140	25	70	25,07
37	311,1	299,51	140	25	70	26,41
38	319,2	307,59	140	25	70	27,79

39	327,2	315,67	140	25	70	29,20
40	335,3	323,73	140	25	70	30,65
42	353,7	339,90	*140	25	70	33,63
45	377,9	364,12	*140	25	70	38,44
46	386,0	372,21	*140	25	70	40313
48	402,1	388,36	*140	25	70	43,61
50	418,3	404,52	*140	5	70	47,25
57	474,9	461,07	*160	40	82	63,45
60	499,1	485,32	*160	40	82	70,00
76	628,4	614,65	*160	40	8	110,79
95	782,0	768,22	*160	40	109	178,48