


KM

PORCA DE FIXAÇÃO

- **G** – Medida da Rosca
- **Dm** – Diâmetro Externo
- **B** – Espessura
- **D** – Diâmetro do Chanfro
- **m** – Largura do Rasgo
- **n** – Profundidade do Rasgo



Código	G	Dm mm	B mm	D mm	M mm	N mm
KM 0	M 10x0,75	18	4	13.5	3	2
KM 1	M 12x1	22	4	17	3	2
KM 2	M 15x1	25	5	21	4	2
KM 3	M 17x1	28	5	24	4	2
KM 4	M 20x1	32	6	26	4	2
KM 5	M 25x1,5	38	7	32	5	2
KM 6	M 30x1,5	45	7	38	5	2

KM 7	M 35x1,5	52	8	44	5	2
KM 8	M 40x1,5	58	9	50	6	2.5
KM 9	M 45x1,5	65	10	56	6	2.5
KM 10	M 50x1,5	70	11	61	6	2.5
KM 11	M 55x2	75	11	67	7	3
KM 11X1.5	M 55x1,5	75	11	67	7	3
KM 12	M 60x2	80	11	73	7	3
KM 12X1.5	M 60x1,5	80	11	73	7	3
KM 13	M 65x2	85	12	79	7	3
KM 13X1.5	M 65x1,5	85	12	79	7	3
KM 14	M 70x2	92	12	85	8	3.5
KM 15	M 75x2	98	13	90	8	3.5
KM 16	M 80x2	105	15	95	8	3.5
KM 17	M 85x2	110	16	102	8	3.5
KM 18	M 90x2	120	16	108	10	4
KM 19	M 95x2	125	17	113	10	4
KM 20	M 100x2	130	18	120	10	4
KM 21	M 105x2	140	18	126	12	5
KM 22	M 110x2	145	19	133	12	5
KM 23	M 115x2	150	19	137	12	5
KM 24	M 120x2	155	20	138	12	5
KM 25	M 125x2	160	21	148	12	5
KM 26	M 130x2	165	21	149	12	5

KM 27	M 135x2	175	22	160	14	6
KM 28	M 140x2	180	22	160	14	6
KM 29	M 145x2	190	24	171	14	6
KM 30	M 150x2	195	24	171	14	6
KM 31	M 155x3	200	25	182	16	7
KM 32	M 160x3	210	25	182	16	7
KM 33	M 165x3	210	26	193	16	7
KM 34	170x3	220	26	193	16	7
KM 36	M 180x3	230	27	203	18	8
KM 38	M 190x3	240	28	214	18	8
KM 40	M 200x3	250	29	226	18	8
KM 0 32F	0.391"x32F	18	4	13.5	3	2
KM 1 32F	0.469"x32F	22	4	17	3	2
KM 2 32F	0.586"x32F	25	5	21	4	2
KM 3 32F	0.664"x32F	28	5	24	4	2
KM 4 32F	0.781"x32F	32	6	26	4	2
KM 5 32F	0.969"x32F	38	7	32	5	2
KM 6 18F	1.173"x18F	45	7	38	5	2
KM 7 18F	1.376"x18F	52	8	44	5	2
KM 8 18F	1.563"x18F	58	9	50	6	2.5
KM 9 18F	1.767"x18F	65	10	56	6	2.5
KM 10 18F	1.967"x18F	70	11	61	6	2.5
KM 11 18F	2.157"x18F	75	11	67	7	3

KM 12 18F	2.360"x18F	80	11	73	7	3
KM 13 18F	2.548"x18F	85	12	79	7	3
KM 14 18F	2.751"x18F	92	12	85	8	3.5
KM 15 12F	2.933"x12F	98	13	90	8	3.5
KM 16 12F	3.137"x12F	105	15	95	8	3.5
KM 17 12F	3.340"x12F	110	16	102	8	3.5
KM 18 12F	3.527"x12F	120	16	108	10	4
KM 19 12F	3.730"x12F	125	17	113	10	4
KM 20 12F	3.918"x12F	130	18	120	10	4
KM 21 12F	4.122"x12F	140	18	126	12	5
KM 22 12F	4.325"x12F	145	19	133	12	5
KM 24 12F	4.716"x12F	155	20	138	12	5
KM 26 12F	5.106"x12F	165	21	149	12	5
KM 28 12F	5.497"x12F	180	22	160	14	6
KM 30 12F	5.888"x12F	195	24	171	14	6
KM 32 8F	6.284"x8F	210	25	182	16	7
KM 34 8F	6.659"x8F	220	26	193	16	7
KM 36 8F	7.066"x8F	230	27	203	18	8
KM 38 8F	7.472"x8F	240	28	214	18	8
KM 40 8F	7.847"x8F	250	29	226	18	8