


# DIN 172 - NI

## BUCHA DE GUIA

Buchas de perfuração, com colar

- Tipo **A**: Furo unilateral arredondado
- Aço
- Endurecido (HRC 55+4)
- Tamanho adequado  $d_1 / d_2$  solo



| Descrição            | $d_1$ F7 | $eu_1$ | $d_2$ n6 | $d_3$ | $eu_2$ |  |
|----------------------|----------|--------|----------|-------|--------|---------------------------------------------------------------------------------------|
| DIN 172-B4-8-A-NI    | B4       | 8      | 7        | 10    | 2.5    | 2                                                                                     |
| DIN 172-B4-12-A-NI   | B4       | 12     | 7        | 10    | 2.5    | 4                                                                                     |
| DIN 172-B4,1-8-A-NI  | B4.1     | 8      | 8        | 11    | 2.5    | 3                                                                                     |
| DIN 172-B4,1-12-A-NI | B4.1     | 12     | 8        | 11    | 2.5    | 4                                                                                     |
| DIN 172-B5-8-A-NI    | B5       | 8      | 8        | 11    | 2.5    | 4                                                                                     |
| DIN 172-B5-12-A-NI   | B5       | 12     | 8        | 11    | 2.5    | 3                                                                                     |
| DIN 172-B5,1-10-A-NI | B5.1     | 10     | 10       | 13    | 3      | 6                                                                                     |
| DIN 172-B5,1-16-A-NI | B5.1     | 16     | 10       | 13    | 3      | 8                                                                                     |
| DIN 172-B6-10-A-NI   | B6       | 10     | 10       | 13    | 3      | 5                                                                                     |
| DIN 172-B6-16-A-NI   | B6       | 16     | 10       | 13    | 3      | 7                                                                                     |
| DIN 172-B6,1-10-A-NI | B6.1     | 10     | 12       | 15    | 3      | 8                                                                                     |

|                              |       |    |    |    |   |    |
|------------------------------|-------|----|----|----|---|----|
| <b>DIN 172-B6,1-16-A-NI</b>  | B6.1  | 16 | 12 | 15 | 3 | 12 |
| <b>DIN 172-B8-10-A-NI</b>    | B8    | 10 | 12 | 15 | 3 | 6  |
| <b>DIN 172-B8-16-A-NI</b>    | B8    | 16 | 12 | 15 | 3 | 9  |
| <b>DIN 172-B8,1-12-A-NI</b>  | B8.1  | 12 | 15 | 18 | 3 | 13 |
| <b>DIN 172-B8,1-20-A-NI</b>  | B8.1  | 20 | 15 | 18 | 3 | 21 |
| <b>DIN 172-B10-12-A-NI</b>   | B10   | 12 | 15 | 18 | 3 | 10 |
| <b>DIN 172-B10-20-A-NI</b>   | B10   | 20 | 15 | 18 | 3 | 17 |
| <b>DIN 172-B10,1-12-A-NI</b> | B10.1 | 12 | 18 | 22 | 4 | 20 |
| <b>DIN 172-B10,1-20-A-NI</b> | B10.1 | 20 | 18 | 22 | 4 | 30 |
| <b>DIN 172-B12-12-A-NI</b>   | B12   | 12 | 18 | 22 | 4 | 16 |
| <b>DIN 172-B12-20-A-NI</b>   | B12   | 20 | 18 | 22 | 4 | 26 |
| <b>DIN 172-B12,1-16-A-NI</b> | B12.1 | 16 | 22 | 26 | 4 | 37 |
| <b>DIN 172-B12,1-28-A-NI</b> | B12.1 | 28 | 22 | 26 | 4 | 62 |
| <b>DIN 172-B14-16-A-NI</b>   | B14   | 16 | 22 | 26 | 4 | 32 |
| <b>DIN 172-B14,1-16-A-NI</b> | B14.1 | 16 | 22 | 26 | 4 | 32 |
| <b>DIN 172-B14-28-A-NI</b>   | B14   | 28 | 22 | 26 | 4 | 53 |
| <b>DIN 172-B14,1-28-A-NI</b> | B14.1 | 28 | 22 | 26 | 4 | 53 |
| <b>DIN 172-B15-16-A-NI</b>   | B15   | 16 | 22 | 26 | 4 | 29 |
| <b>DIN 172-B15-28-A-NI</b>   | B15   | 28 | 22 | 26 | 4 | 48 |
| <b>DIN 172-B15,1-16-A-NI</b> | B15.1 | 16 | 26 | 30 | 4 | 48 |
| <b>DIN 172-B15,1-28-A-NI</b> | B15.1 | 28 | 26 | 30 | 4 | 80 |
| <b>DIN 172-B16-16-A-NI</b>   | B16   | 16 | 26 | 30 | 4 | 46 |
| <b>DIN 172-B16,1-16-A-NI</b> | B16.1 | 16 | 26 | 30 | 4 | 45 |
| <b>DIN 172-B16-28-A-NI</b>   | B16   | 28 | 26 | 30 | 4 | 76 |
| <b>DIN 172-B16,1-28-A-NI</b> | B16.1 | 28 | 26 | 30 | 4 | 75 |



**PROFFIXO**

DO BRASIL INDÚSTRIA E COMÉRCIO LTDA

*Soluções Personalizadas*

Rua Paulo Silveira Costa, 60 – Vila Califórnia, São Paulo / SP – CEP 04775-200

Tel: +55 11 5525-1960 / 11 99235-1644 / 11 96375-6579

e-mail: [proffixo@proffixo.com.br](mailto:proffixo@proffixo.com.br)

Site: [www.proffixo.com.br](http://www.proffixo.com.br)